6


Public Use Data Tape Documentation

Dental Findings I Tape Number 1006

National Health Examination Survey, 1959-62




U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES . Public Health Service . Office of Health Research, Statistics, and Technology . National Center for Health Statistics



Public Use Data Tape Documentation

Dental Findings I Tape Number 1006

National Health Examination Survey, 1959-62



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Office of Health Research, Statistics, and Technology National Center for Health Statistics

Hyattsville, Maryland May 1981

INTRODUCTION

The overall plan of the Health Examination Survey (HES) was to conduct successive, separate cycles of examinations in specific segments of the national population. The data in this report refers to the survey for Cycle 1.

The first cycle of the HES was the examination of a sample of adults. It was directed toward the collection of statistics on the medically defined prevalence of certain chronic diseases and of a particular set of dental findings and physical and physiological measurements. The probability sample consisted of 7,710 of all non-institutional civilian adults in the age range 18-79 years in the United States. Altogether, 6,672 persons were examined during the period from October 1959 to December 1962.

The tape contains data from the cycle I survey relating to the dental findings of each examined person. There are 6,672 records of 52 characters each. The first 51 characters are coded numeric and represent separate data items. The remaining character position is filled with a blank.

TABLE OF CONTENTS

PARAGRAPH	•	TITLE	PAGE
I	•	FILE DESCRIPTION .	
II		DETAILED DESCRIPTION OF DATA ITEMS	

FILE DESCRIPTION AND CODES

FILE CHARACTERISTICS

TITLE:

User Data Set #6 - Dental Findings

CONTENT:

Dental Findings Data by File Sequence Number

CASE COUNT:

6672

RECORD COUNT:

6672

RECORDING MODE:

FB

RECORD LENGTH:

52 Characters

RECS/BLOCK

1 Record

DENSITY:

1600-BPI

CHANNEL:

9-trk

LOCATION:

North Carolina DP Facility

CREATED BY:

DHES/NCHS/HRA

DATA SET NAME:

HE006002.DENTAL

REEL NUMBER (S):

009200

COMMENTS:

Copy of tape with same DSNAME HE006003.DENTAL

on Reel #003359

ITEM	TAF POST FROM	LION	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT . TAPE POSITION
1	1	5	5	FILE SEQUENCE #	000113	JOUNGE	7031110N
2	6	7	2	AGE/SEX 01 (12 03 04 05 06 07 08 09 10 11 12 13	411 675 703 547 418 265 72 534 746 784 705 443 299 70	HES-203	`35-36
3	8		· 1	RACE/SEX 1 - White Male 2 - Negro Male 3 - Other Male 4 - White Female 5 - Negro Female 6 - Other Female	2669 358 64 3050 469 62	HES-203	39
4	9		7	EDENTULOUS UPPER ARCH 1 - Full denture absent 2 - Full denture defective 3 - Full denture present 4 - Detulous-at least one natural tooth present 5 - Edentulous-denture status not indicated 9 - Non-examined	161 83 1451 4957 1 19	HES-206	456

		TAPE POSITION	NUMBER OF		CONTRO		SRT
	ITEM	FR0/1 / TO	POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	TAPE POSITION
	5	10	1	EDENTULOUS LOWER ARCH 1 - Full denture absent 2 - Full denture defective 3 - Full denture present 4 - Dentulous-at least one natural tooth present 5 - Edentulous-denture status not indicated 9 - Non-examined	223 19 961 5449 1	HES-206	457
	6	11	1	USABLE ABUTMENTS - (UPPER) 1 1 - Yes 2 - No 3 - Edentulous Arch 9 - Non-examined	4774 183 1696 19	HES-206	462
-	. 7	12	1	USABLE ABUTMENTS - 1 (LOWER) 1 - Yes 2 - No 3 - Edentulous Arch 9 - Non-examined	5276 173 1204 19	HES-206	463
	8	13	1	USABLE ABUTMENTS - 2 (UPPER) 1 - Yes 2 - No 3 - Edentulous Arch 9 - Non-examined	4561 . 396 1696	HES-206	464
	9	14	1 .	USABLE ABUTMENTS - 2 (LOWER) 1 - Yes 2 - No 3 - Edentulous Arch 4 - Non-examined	4922 527 1204 19	HES-206	465
ř							•
				•			

.

ITEM	TAPE POSITIO FROM / T	<u> </u>	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT . TAPE POSITION
11	17	18	2	SIMPLIFIED CALCULUS INDEX 00 01 02 03 04 05 06 07	2390 - 219 435 60 194 35 268 141	HES-206	468-469
				09 10 11 12 13 14 15 16 17 18 19	329 100 170 18 112 26 126 84 -		
				21 22 23 24 25 26 27 28 29 30 97 - None of the teeth used for the SCI were present 98 - Missing data 99 - Non-examined	75 51 12 52 4 23 19 - 78 1268 2		

	TAPE POSITION	NUMBER OF		CONTROL		SRT TAPE
ITEM	FROM / TO	OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	TAPE POSITION
12	19	1	SHOULD SEE OWN DENTIST 1 - At next appointment 2 - At early date 3 - No Entry 9 - Non-examined	4181 2167 305 19	HES-206	472
13	20 21	2	PERIODONTAL INDEX 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32	1426 363 358 349 235 198 177 138 136 119 160 85 95 85 83 56 54 40 175 35 30 51 34 28 40 32 41 24 24 15	HE\$-206	473-474

ITEM	TAPE POSITION FROM / TO	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITION
13	20 21	2	PERIODONTAL INDEX (continued) 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73	28 19 37 20 18 21 7 18 10 18 10 18 10 14 11 15 14 15 14 15 14 15 15	HES-206	473-474

			•				•	
	ITEM	TAP POSIT FROM	TION	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITIO
	13	20	21	2	PERIODONTAL INDEX (continued) 74 75 76 77 78 79 80 98 99 - Non-Examined	3 5 3 1 2 1 23 1201	HES-206	473-474
•	14	22	23	2	SIMPLIFIED ORAL HYGIENE INDEX 00 01 02 03	324 228 387 38 323	HES-206	475-476
					04 05 06 07 08 09 10	35 359 326 517 229		•
					12 13 14 15 16 17 18	211 35 205 23 146 165		
					14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	275 126 122 30 112 23 92 90		

ITEM	TAI POST FROM	110i1	NUMBER - OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITION
14	22	23	2	SIMPLIFIED ORAL HYGIENE INDEX (continued)	9991119	HES-206	475-476
				29 30 31 32 33	235 67		
				34 35 36 37	74 12. 64 6		
				38 39 40 41	56 130 		-
	·			42 43 44 45 46 47	28 . 37 12 33 8 20 22		
				48 49 50 51 52 53 54 55 56	29 6 11, 2	-	
				58 59 60	7 3 7 7 22	·	
_		<u>.</u>		98 - Persons who did not have at least of the specified teeth 99 - Non-examined	1271 19		
15	24	25	2	NORMAL TEETH	1271 62 71 98	HES-206	479-480

ITEM	TAI POST FROM	LION	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT - TAPE POSITION
15	24	25	2	NORMAL TEETH (continued) 04 05 06 07 08 09 10 11 12 13 14 15 16 17	151 183 251 263 283 248 224 248 240 245 229 233 239 201 192	HES-206	479-480
				19 20 21 22 23 24 25 26 27 28 29 30 31 32 99 - Non-examined	191 180 167 181 155 126 131 120 108 115 99 53 51 44		
16	26	27	.2	DECAYED TEETH	4470 794 469 314 183 135	HES-206	481=482

16	ITEM	POST FROM	TION	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITION
17 28 29 2 FILLED TEETH 00 01 01 02 03 01 02 03 03 05 05 05 06 07 07	. 16			2	DECAYED TEETH (continued) 07 08 09 10 11 12 13 14 15	64 . 53 32 12 11 6 5	HES-206	481-482
01 02 03 05 05 05 06 06 07				· · ·	17 18 19 20 21 22 99 - No exam	,		·
08		,	29		01 02 03			483-484
				-	08 09	181 194 205 212		·

		TA	PE	NUMBER				SRT ·
İ	ITEM	POSI FROM	/ TO:1	OF POSITIONS	. ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	TAPE POSITION
	. 17	28	29	2	FILLED TEETH (continued) 21 22	48	HES-206	483-484
					23 24 25 26 27 28 29 30 31 31 32 99 - Non-examined	- 32 17 12 4 2 2 19		
-	18	30	31	2	FILLED DEFECTIVE TEETH		HES-206	485-486
		_		·	00 01 02 03 04	5500 7.16 248 98 43		
	-				05 ' 06 07 08 09 10	21 7 8 4 2 3		
					12 13 14 .99 - Non-examined	 1 1 19		
	19	32	33	· · · 2	NON-FUNCTIONAL CARIOUS 00 01 02 03 04 05 06	5737 401 198 112 71 39	HES-206	487-488

ITEM	TAP POSIT FROM	LION	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITION:
. 19	32	33	2	NON-FUNCTIONAL CARIOUS (continued) 07 08 09 10	17 11 5 4	HES-206	· 487-488 ·
		•		12 13 14 15 16 17 18	7 7 7 2 1 2		
				19 99 - Non-examined	19		
20	34	35	2	TOTAL TEETH PRESENT 00 01 02 03	1170 17 23 16	HES-206	493-494
			·	04 05 06 07	34 32 66 76		
				08 09 10 11 12 13	90 78 85 60 58	·	
				. 14 15 . 16 . 17	53 59 59 86 91		
				18 19 20 21 22	97 130 157 176	·	

•

ITEM	TAP POSIT	LION	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SPT TAPE POSITION
20	34	35	2	TOTAL TEETH PRESENT 23 24 25	251 281 356	HES-206	493-494
		-		26 27 28 29 30 31 32 99 - Non-Examined	438 508 711 420 293 228 226 19		
21	36	37	2	TOTAL TEETH MISSING (Missing + Missing Space Closed + Replaced + Replaced Defective) 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 .16 17 18 19 20 21	226 228 293 420 711 508 438 356 281 251 228 176 157 130 97 91 86 59 59 59 59 59 59		

ITEM FR	TAPE	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITION
.21 36	37		TOTAL TEETH MISSING (continued) 23 24 25 26 27 28 29 30 31 32 99 - Non Examined	78 - 90 76 66 32 34 16 23	HES-206	495-496
22 38	39	2 .	MISSING SPACE CLOSED	17 1170 19	HES-206	499-500
			00 01 02 03 04 05 06 07 ' 99 - No Exam	5311 853 338 97 47 3 3	HE3-200	433-300
23 40	41	2	REPLACED 00 01 02 03 04 05 06 07 08 09 10 11 12 13 14	4056 303 174 106 79 75 58 44 49 36 28 25 26 15	HES-206	501-502

	TAI	E	NUMBER OF		CONTROL		SRT
ITEM	POSIT FROM	/ TO	OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	TAPE POSITION
. 23	40	41	2	REPLACED (continued) 16 17	423 . 8	HES-206	501-502
		-		18 19 20 21 22 23	7 7 13 12 23 28 38 20 16 6		
	•			20 21 22 23 24 25 26 27 28 29 30 31	20 16 6 15 4		•• .
				31 32 99 - Non-Examined	914 19		
24	42	43	2	REPLACED DEFECTIVE 00 01 02 03	6546 13 2	HES-206	503-504
				04 05 06 07	1 1 1		•
				08 09 .10 11 . 12	3 1 		
				13 14 15 16 17 18 19	 69 		
				18 19 20			

•

ITEM	TAP POSIT FROM/	ION	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITION
24	42	43		REPLACED DEFECTIVE (continued) 21 22 23 24 25 26 27 28 29 30 31 32 99 - Non-Examined	 16 19	HES-206	503-504
. 25		45	2 .	DMF (SUMMATION OF THE FOLLOWING: CARIOUS, FILLED, FILLED DEFECTIVE, NON-FUNCTIONAL CARIOUS, TOTAL TEETH MISSING) OO	44 51 53 99 115 108 120 131 126 155 181 167 180 191 192 201 239 233 229 245 240 248	HES-206	505-506

•

ſ		TAP POSIT	NOI	NUMBER OF POSITIONS		CONTROL COUNTS		SRT TAPE POSITION
ļ	ITEM	FROM/	′ TO	POSITIONS	ITEM DESCRIPTION & CODES	COUNTS	SOURCE	
	25	44	45	2	DMF (continued) 22 23 24 25 26 27 28 29 30	224 248 - 283 263 251 183 151 98 71 62	HES-206	505-506
				1	32 99 - Non-Examined .	12/1		
	. 26	46		1	LAST TIME SAW DENTIST Ol 6 Months O2 6-11 Months O3 1 Year O4 2-4 Years O5 Over 4 Years O6 Never O9 Blank	1731 928 1059 1272 1290 221 171	HES1	507
	27	47		1	PI CLASSIFICATION Ol Zero Perio O2 Gingiscitus O3 Pockets O4 Edentulous O5 Incomplete Score C6 Non-Examined	1426 2610 1416 1170 31 19	HES-206	508 ·
	28	48		1 -	REGULAR DENTIST Ol Yes O2 No O3 Blank - No Response	4072 2555 45	HES1	548
	. 29	49		1	DENTAL CHECK UPS 01 Yes 02 No 03 Blank - (No Response)	2506 4048 118	HES1	552

.

ITEM	TA! POSTI FROM	LIOH	NUMBER OF POSITIONS	ITEM DESCRIPTION & CODES	CONTROL COUNTS	SOURCE	SRT TAPE POSITION
-30	50		1	CLASSIFICATION BY DENTAL STATUS 1 Both arches edentulous - both dentures present and satisfactory 2 Both arches edentulous - one or both dentures defective or not present 3 One arch edentulous - denture present and satisfactory 4 One arch edentulous - denture defective or not present 5 Natural teeth present in both arches 6 No dental examination	915 255 469 91 4923 19	HES-206	873
31	51		1	NON-FUNCTIONAL TEETH RECODE 1 Yes 2 No 9 Non-Examined	1047 5606 19	HES-206	893
						·	·

DETAIL NOTES

DETAIL NOTES #6, #7, #8, #9

USABLE ABUTMENTS 1 - UPPER
USABLE ABUTMENTS 1 - LOWER
USABLE ABUTMENTS 2 - UPPER
USABLE ABUTMENTS 2 - LOWER

A usable abutment refers to the presence of a posterior tooth which has a supporting structure that is sufficiently healthy that the tooth can be used to anchor a partial denture. A "l" refers to one quadrant of an arch, and a "2" refers to the other quadrant of the same arch (either upper or lower). Both quadrants must have a usable abutment in order to have a partial denture.

SIMPLIFIED DEBRIS INDEX

The surface area covered by debris is estimated by running a number five explorer along the surface being examined and noting the occlusal or incisal extent of the debris as it is removed from the tooth surface and adheres to the explorer.

SCORING:

- 0 No debris or stain present.
- 1 (a) Soft debris covering not more than the gingival third of the tooth surface.
 - (b) the presence of extrinsic stains without debris regardless of surface area covered.
- 2 Soft debris covering more than one-third but not more than two-thirds of the exposed tooth surface.
- 3 Soft debris covering more than two-thirds of the exposed tooth surface.

The debris scores are totaled and divided by the number of surfaces scored to obtain the Simplified Debris Index.

SIMPLIFIED CALCULUS INDEX

· A number five explorer is used to estimate surface area covered by supragingival calculus and to probe for subgingival calculus.

SCORING:

- 0 No calculus present.
- 1 Supragingival calculus covering not more one-third of the exposed tooth surface.
- 2 Supragingival calculus covering more than one-third but not more than twothirds of the exposed tooth surface, and/or the presence of individual flecks of subgingival calculus around the cervical portion of the tooth.
- 3 Supragingival calculus covering more than two-thirds of exposed tooth surface, and/or a continuous heavy band of subgingival calculus around the tooth.

The Simplified Calculus Index is determined by totaling the calculus scores for the teeth examined and dividing by the number of teeth scored. The term simplified means that only a few pre-selected teeth were examined and not all 32.

PERIODONTAL INDEX

A periodontal score is recorded for each tooth in the mouth, and the arithmetic average of all scores is the individual's Periodontal Index.

SCORING:

- 0 <u>Negative</u>. There is neither overt inflammations in the investing tissues nor loss of function due to destruction of supporting tissues.
- 1 Mild Gingivitis. There is an overt area of inflammation or the free gingival, but this area does not circumscribe the tooth.
- 2 <u>Gingivitis</u>. Inflammation completely circumscribes the tooth, but there is no apparent break in the epithelial attachment.
- 6 Gingivitis With Pocket Formations. The epithelial attachment has been broken and there is a pocket (not merely a deepened gingival crevice due to swelling in the free gingival). There is no interference with normal masticatory function, the tooth is firm in its socket, and has not drifted.
- 8 Advanced Destruction With Loss Of

 Masticatory Function. The tooth may be loose; may have drifted; may sound dull on percussion with a metallic instrument; may be depressible in its socket.

SIMPLIFIED ORAL HYGIENE INDEX

The debris and calculus index scores are added to give the Simplified Oral Hygiene Index.

Detail Note #58

Reassurance Calls

This item refers to the number of personal contacts made with the sampled person to reconfirm the appointment for examination.